

AMENDMENT TRANSMITTAL LETTER				Docket No. 17195/002001	
Application No. 10/528,530-Conf. #8299		Filing Date March 18, 2005		Examiner D. Truong	
				Art Unit 1796	

Applicant(s): Shinsuke Inoue et al.

Invention: NOVEL THERMOPLASTIC POLYIMIDE AND IMIDE OLIGOMER

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.
The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED						
	Claims Remaining After Amendment	Highest Number Previously Paid		Number Extra Claims Present	Rate	
Total Claims	11	- 20	=	0	x 26.00	0.00
Independent Claims	1	- 3	=	0	x 110.00	0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>						
Other fee (please specify): A one-month extension of time						65.00
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:						65.00

☐ Large Entity
 ☒ Small Entity

☐ No additional fee is required for this amendment.

☐ Please charge Deposit Account No. _____ in the amount of \$ _____.
 A duplicate copy of this sheet is enclosed.

☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.

☒ Payment by credit card.

☒ The Director is hereby authorized to charge and credit Deposit Account No. 50-0591
 as described below.

☒ Credit any overpayment.

☒ Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.

/Jonathan P. Osha/
 Jonathan P. Osha
 Attorney/Agent Reg. No.: 33,986

Dated: October 14, 2008

OSHA · LIANG LLP
 909 Fannin Street, Suite 3500
 Houston, Texas 77010
 (713) 228-8600

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Shinsuke Inoue et al.

Application No.: 10/528,530

Confirmation No.: 8299

Filed: March 18, 2005

Art Unit: 1711

For: NOVEL THERMOPLASTIC POLYIMIDE
AND IMIDE OLIGOMER

Examiner: D. Truong

RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the restriction requirement set forth in the Office Action mailed August 12, 2008, please reconsider this application in view of the following.